INDEX TO AUTHORS.

ALSTON, J. M., and LOWDON, A. S. R., studies of the skin reactions to the specific soluble substances of the pneumococcus types I and II, 1

ANDERSON, D. F., the calcium content of the cerebro-spinal fluid in normal pregnancy and in eclampsia, 155

ANDREWES, C. H., and ELFORD, W. J., observations on anti-phage sera. I: The percentage law, 367; II: Properties of incompletely neutralized phage, 376.

BEDSON, S. P., immunological studies with the virus of psittacosis, 162; observations on the developmental forms of psittacosis virus, 267

BLACK, P. T., the inactivation of insulin by normal and diabetic blood, 318

BLAKELY, A. P. L., and WILKINSON, J. F., the influence of histamine and pilocarpine on the human gastric secretion, 349

BORTHWICK, G. R., experimental observations on the toxic effects of staphylococcal filtrates introduced enterally in laboratory animals, 236

BRAIN, R. T., the relationship between the viruses of zoster and varicella as demonstrated by the complement-fixation reaction, 67

BROOM, J. C., see *Findlay, G. M.*

——— and FINDLAY, G. M., the filtration of Rift Valley fever virus through graded collodion membranes, 179

BROWN, H. C., further observations on the electric charge of the erythrocytes in certain protozoal diseases, 413

BUCKLEY, O. B., the effect of subcutaneous injections of trypsin on the blood-sugar and on insulin action, 57

——— and WILHELMJ, C. M., the effect of subcutaneous injections of trypsin on the respiratory metabolism of the dog, 63

BURNET, F. M., immunological studies with phage-coated bacteria, 93; a specific soluble substance from bacteriophages, 100; specific agglutination of bacteriophage particles, 302

DAVIES, D. R., see *Gough, J.*

DICKINSON, S., and HAVARD, R. E., the reaction of the arterial blood in cancer, 394

DUGUID, J. B., see *Gough, J.*

ELFORD, W. J., see *Andrewes, C. H.*, and *Galloway, I. A.*

——— and GALLOWAY, I. A., filtration of the virus of Borna disease through graded collodion membranes, 196

——— and TODD, C., the size of the virus of fowl plague estimated by the method of ultra-filtration analysis, 240

FILDES, P., see *Knight, B. C. J. G.*

——— GLADSTONE, G. P., and KNIGHT, B.C.J.G. the nitrogen and vitamin requirements of *B. typhosus*, 189

——— and KNIGHT, B. C. J. G., tryptophane and the growth of bacteria, 343

FINDLAY, G. M., cytological changes in the liver in Rift Valley fever, with special reference to the nuclear inclusions, 207; see *Broom, J. C.*

——— and BROOM, J. C., experiments on the filtration of yellow fever virus through "Gradocol" membranes, 391

GALLOWAY, I. A., and ELFORD, W. J., the differentiation of the virus of vesicular stomatitis from the virus of foot and mouth disease by filtration, 400

GARROD, L. P., on so-called reversed selective bacteriostasis, 182

GILROY, E., see *Mackie, T. J.*

GLADSTONE, G. P., see *Fildes, P.*

GORDON, J., and THOMPSON, F. C., the parallel action of neutral salts on the inhibition of complement and on the dispersion of gelatin, 33; the reversibility of neutral salt action on complement, 277

GOUGH, J., DUGUID, J. B., and DAVIES, D. R., the renal lesions in hypervitaminosis D: Observations on the urinary calcium and phosphorus excretion, 137

GRASSET, E., and ZOUTENDYK, A., detoxication of snake venoms, and the application of the resulting antigens to rapid methods of antivenomous vaccination and serum production, 308

GYE, W. E., and PURDEY, W. J., the infective agent in tumour filtrates: A further investigation by means of anti-sera to normal tissues, 250

HARLEY, D., hay fever. I. A study of reagin-allergen mixtures, 171

HAVARD, R. E., see *Dickinson, S.*

HEALEY, M., see *Pope, C. G.*

HENDERSON, D. W., studies on *Clostridium chauvœi*. III. Passive protection with pure "O" sera, 108

HOLMES, B. E., see *Pirie, A.*

KNIGHT, B. C. J. G., see *Fildes, P.*

——— and FILDES, P., a vitamin necessary for the growth of *B. sporogenes*: Its relation to auxin and other growth factors, 112

KREMER, M., WRIGHT, S., and SCARFF, R. W., experimental hypertension and the arterial lesions in the rabbit, 281

LOWDON, A. S. R. see *Alston, J. M.*

McEUEN, C. S., and THOMSON, D. L., the effect of hypophysectomy on the growth of the Walker rat tumour, 384

McINTOSH, J., on the nature of the tumour induced in fowls by injections of tar, 422

MACKIE, T. J., VAN ROOYEN, C. E., and GILROY, E., an epizootic disease occurring in a breeding stock of mice: Bacteriological and experimental observations, 132

MAEGRAITH, B. G., variation in agglutination of stock cultures of meningococci, 219; rough and smooth variants in stock cultures of meningococci, 227

MARSHALL, P. G., the gonadotropic hormones (μ-factors). V. The effect of large doses on subsequent fertility, 246

MILES, A. A., optimal proportions in agglutination: With reference to the antigenic analysis of the *Brucella* group of organisms, 43

MORGAN, W. T. J., and PETRIE, G. F., the titration of anti-pneumococcus serum (type I) in mice, 323

PETRIE, G. F., see *Morgan, W. T. J.*

PIRIE, A., and HOLMES, B. E., a study of the enzymes of the agalactia virus, 290

POLSON, C., modern tests of liver efficiency applied to experimental shale oil liver necrosis, 24; the failure of prolonged administration of iron to cause hæmochromatosis, 73; glycine tolerance in experimental shale oil liver necrosis, 125

POPE, C. G., and HEALEY, M., the influence of maltose on the growth and toxin production of *C. diphtheriæ*, 77; the surface growth and toxin production of *C. diphtheriæ*, 87

PURDEY, W. J., the heterotransfer of two filterable tumours: An investigation by means of resistance induced by embryo tissues, 9; the hetero-transfer of two filterable tumours; an investigation by means of immune sera, 260; the Fujinami myxosarcoma in ducks: Resistance to reinfection, 297; see *Gye, W. E.*

PENROSE, L. S., see *Penrose, M.*

PENROSE, M., and PENROSE, L. S., the blood-group distribution in the eastern counties of England, 160

ROSE, C. F. M., the estimation of urea by urease methods in fluoride blood, 339

SCARFF, R. W., see *Kremer, M.*

SYKES, J. F., see *Taylor, N. B.*

TAYLOR, N. B., WELD, C. B., and SYKES, J. F., observations upon the absorption of calcium in normal animals, 355

THOMPSON, F. C., see *Gordon, J.*

THOMSON, D. L., see *McEuen, C. S.*

TODD, C., see *Elford, W. J.*

TOPLEY, W. W. C., the effect of repeated injections of a bacterial vaccine, 408

VAN ROOYEN, C. E., see *Mackie, T. J.*

WELD, C. B., see *Taylor, N. B.*

WHITE, F. D., on serum bilirubin: II. The relation between the bilirubin content of serum from different types of jaundice and the icterus index of the serum after removal of proteins, 17

WHITE, P. B., the O-receptor complex of *B. proteus* X19, 145

WHITEHEAD, R., the cortical lipoid of the mouse suprarenal after unilateral suprarenalectomy, 149

WILHELMJ, C. M., see *Buckley, O. B.*

WILKINSON, J. F., see *Blakely, A. P. L.*

WRIGHT, S., see *Kremer, M.*

ZOUTENDYK, A., see *Grasset, E.*